

REHAU®

2. REHAU-Euro-Design 60

2.3 Detail Drawings



Windows
make
houses


2. REHAU-Euro-Design 60

2.3 Detail Drawings

Index	Page
Profile combination Frame 64 Euro 60/Sash Z 60 Euro 60	2
Profile combination Frame 64 Euro 60/Sash 60 round BD	3
Profile combination Frame 74 BD/Sash Z 60 Euro 60	4
Profile combination Frame 74 BD/Sash Z 60 round BD	5
Profile combination Frame 60 with exterior fin Euro 60/Sash Z 60 Euro 60	6
Profile combination Frame 60 with exterior fin Euro 60/Sash 60 round BD	7
Multi-sash window with Mullion 78 Euro 60 and Sash Z 60 Euro 60	8
Multi-sash window with Mullion 78 Euro 60 and Sash 60 round BD	9
Two-sash window without fixed mullion using Sash Z 60 Euro 60	10
Two-sash window without fixed mullion using Sash 60 round BD	11
Fixed light	12

2. REHAU-Euro-Design 60

2.3 Detail Drawings



REHAU®

M 1:1 17.03.05


LT 5491 773640e-02

Euro-Design 60

Profile combination
Frame 64 Euro 60
Sash Z 60 Euro 60

2. REHAU-Euro-Design 60

2.3 Detail Drawings



REHAU®


Euro-Design 60

M 1:1 17.03.05

LT 5491 773640e-03 Profile combination
Frame 64 Euro 60
Sash 60 round BD

2. REHAU-Euro-Design 60

2.3 Detail Drawings



REHAU®

M 1:1 17.03.05


LT 5491 773640e-04

Euro-Design 60

Profile combination
Frame 74 BD
Sash Z 60 Euro 60

2. REHAU-Euro-Design 60

2.3 Detail Drawings



REHAU®

M 1:1 17.03.05


LT 5491 773640e-05

Euro-Design 60

Profile combination
Frame 74 BD
Sash 60 round BD

2. REHAU-Euro-Design 60

2.3 Detail Drawings



REHAU®

M 1:1 17.03.05


LT 5491 773640e-06

Euro-Design 60

Profile combination Frame
60 with exterior fin Euro 60
Sash Z 60 Euro 60

2. REHAU-Euro-Design 60

2.3 Detail Drawings



REHAU®

Euro-Design 60

M 1:1 17.03.05

LT 5491 773640e-07


Profile combination Frame

60 with exterior fin Euro 60

Sash 60 round BD


2. REHAU-Euro-Design 60

2.3 Detail Drawings






2. REHAU-Euro-Design 60

2.3 Detail Drawings



2. REHAU-Euro-Design 60

2.3 Detail Drawings



The profiles for dummy mullion are part of the system REHAU-Thermo-Design. Further information about fabrication have been included in the Detail Drawings of the system REHAU-Thermo-Design.

REHAU®

M 1:2 14.07.05




LT 5491 773640e-10

Euro-Design 60

Two-sash window without
fixed mullion using Sash
Z 60 Euro 60

2. REHAU-Euro-Design 60

2.3 Detail Drawings



The profiles for dummy mullion are part of the system REHAU-Thermo-Design. Further information about fabrication have been included in the Detail Drawings of the system REHAU-Thermo-Design.

REHAU®

M 1:2 14.07.05

LT 5491 773640e-11


Euro-Design 60

Two-sash window without fixed mullion using Sash 60 round BD


2. REHAU-Euro-Design 60

2.3 Detail Drawings

Fixed light up to 30 kg glass weight




Frame 64 Euro 60,
Art. 554002




Frame 74 BD,
Art. 554031

Fixed light above 30 kg glass weight



Frame 74 BD,
Art. 554031
(with reinforcement
Art. 239982)



Frame 60 with exterior fin
Euro 60,
Art. 544411

To support the weight of a fixed light over 30 kg, independent of the fixing possibilities into the masonry, the lower frames cross-piece must be reinforced.

The reinforcement must be positioned so that the weight of the fixed light will be transferred to the building.

Furthermore, the instructions regarding ventilation slots must be observed (see the Manufacturing Recommendations).

The glazing must be carried out using the glazing tables found in the Glazing Recommendations.

Maximum profile length for fixed lights:
Colour white: 3,0 m
Coloured/foiled: 2,5 m

REHAU®

Euro-Design 60

M 1:2 17.03.05

LT 5491 773640e-12

Fixed light